

# C900, C907 Fittings

Price List: PLF-C9 Vol. 2

Effective Date: April 1, 2017



Featuring :

**BLUE  
BRUTE**



### *Western Canada*

12487-82nd Avenue,

Surrey B.C. V3W 3E8

T: 604-531-8408 / 1- 877-531-8478

F: 604-531-8468 / 1- 877-531-8468

info@pro-linefittings.com

### *Eastern Canada*

740 Huronia Road, Unit #17

Barrie, Ontario L4N 6C6

T: 705-733-7720 / 1-855-733-7720

F: 705-733-7710 / 1-855-733-7710

sales@pro-linefittings.com

*Contents:*

◆ Tees	1
◆ Tapped Tees	1,2
◆ Hydrant Anchor Tee GxGxS	2
◆ Bends	2,3
◆ Repair Coupling GxG	3
◆ Coupling W/Stop GxG	4
◆ High Deflection Coupling	4
◆ PVC Plugs	4
◆ PVC Bushings	4

*Certification Standards:*



CSA B 137.2 (Injection Molded), CSA B 137.3 (Fabricated).

AWWA C907, C905, UI Listed, FM Approved, OPSS,  
NQ 3624-250, NQ 3660-950.


**Water Distribution Fittings (CIOD) (pressure rating 235 psi)**

At Pro-Line we're committed to **CUSTOMER SERVICE EXCELLENCE**.  
This means quick quotes, the highest quality fittings, delivered as promised each and every time.

PRO-LINE FITTINGS

C900, C907 FITTINGS

Tees GxGxG



Inches	MM	Product Code	Crate Quantities	List Price
4x4x4	100x100x100	07C040404GGG		756.62
6x6x4	150x150x100	07C060604GGG		1,104.01
6x6x6	150x150x150	07C060606GGG		1,068.68
8x8x4	200x200x100	07C080804GGG		1,513.23
8x8x6	200x200x150	07C080806GGG		1,642.77
8x8x8	200x200x200	07C080808GGG		1,860.63
10x10x4	250x250x100	07C101004GGG		1,866.39
10x10x6	250x250x150	07C101006GGG		2,961.46
10x10x8	250x250x200	07C101008GGG		3,516.14
10x10x10	250x250x250	07C101010GGG		4,706.44
12x12x4	300x300x100	07C121204GGG		3,459.01
12x12x6	300x300x150	07C121206GGG		3,839.90
12x12x8	300x300x200	07C121208GGG		4,408.87
12x12x10	300x300x250	07C121210GGG		4,899.27
12x12x12	300x300x300	07C121212GGG		5,680.10

Tapped Tees GxG



4x4x.75	100x100x20	07C0404.75GGAWWA		429.83
4x4x1	100x100x25	07C040401GGAWWA		429.83
6x6x.75x.75	150x150x20x20	07C0606.75GGAWWAD		756.62
6x6x.75	150x150x20	07C0606.75GGAWWA		524.04
6x6x1x1	150x150x25x25	07C060601GGAWWAD		756.62
6x6x1	150x150x25	07C060601GGAWWA		524.04
6x6x1.5	150x150x40	07C06061.5GGAWWA		815.50
6x6x1.5	150x150x40	07C06061.5GGNPT		762.50
6x6x2	150x150x50	07C060602GGAWWA		815.50
6x6x2	150x150x50	07C060602GGNPT		762.50
8x8x.75x.75	200x200x20x20	07C0808.75GGAWWAD		833.16
8x8x.75	200x200x20	07C0808.75GGAWWA		780.17

Water Distribution Fittings (CIOD) (pressure rating 235 psi)

PRO-LINE FITTINGS


C900, C907 FITTINGS

Tapped Tees GxG




Inches	MM	Product Code	Crate Quantities	List Price
8x8x1x1	200x200x25x25	07C080801GGAWWAD		833.16
8x8x1	200x200x25	07C080801GGAWWA		780.17
8x8x1.5	200x200x40	07C08081.5GGNPT		974.23
8x8x2	200x200x50	07C080802GGAWWA		1145.23
8x8x2	200x200x50	07C080802GGNPT		974.47
10x10x.75	250x250x20	07C1010.75GGAWWA		1742.60
10x10x1	250x250x25	07C101001GGAWWA		1742.60
12x12x.75	300x300x20	07C1212.75GGAWWA		2063.99
12x12x1	300x300x25	07C121201GGAWWA		2063.99

Hydrant Anchor Tee GxGxS




10x10x6	250x250x150	07C101006GGSHYD		2,961.46
12x12x6	300x300x150	07C121206GGSHYD		3,839.90

11 1/4 ° Bends GxG



6	150x150	21C1106GG		880.26
8	200x200	21C1108GG		1,026.04
10	250x250	21C1110GG		2,280.61
12	300x300	21C1112GG		3,049.54

22 1/2 ° Bends GxG




4	100x100	21C2204GG		691.85
6	150x150	21C2206GG		691.85
8	200x200	21C2208GG		1,009.80
10	250x250	21C2210GG		2,280.61
12	300x300	21C2212GG		3,049.54

**Water Distribution Fittings (CIOD) (pressure rating 235 psi)**

PRO-LINE FITTINGS


C900, C907 FITTINGS

45 ° Bends GxG



Inches	MM	Product Code	Crate Quantities	List Price
4	100x100	21C4504GG		485.76
6	150x150	21C4506GG		691.85
8	200x200	21C4508GG		1,009.80
10	250x250	21C4510GG		2,280.61
12	300x300	21C4512GG		3,049.54

90 ° Bends GxG




4	100x100	21C9004GG		485.76
6	150x150	21C9006GG		786.06
8	200x200	21C9008GG		1,221.77
10	250x250	21C9010GG		2,930.51
12	300x300	21C9012GG		4,216.04

5° Long Radius Bends GxS



4	100	25C0504GS		P.O.R
6	150	25C0506GS		880.26
8	200	25C0508GS		1,026.04
10	250	25C0510GS		1,416.46
12	300	25C0512GS		2,947.18

Repair Coupling GxG




4	100	33CCOUP04GG		406.28
6	150	33CCOUP06GG		550.53
8	200	33CCOUP08GG		1,000.97
10	250	33CCOUP10GG		1,742.60
12	300	33CCOUP12GG		2,063.98

Water Distribution Fittings (CIOD) (pressure rating 235 psi)

PRO-LINE FITTINGS


C900, C907 FITTINGS

Coupling W/Stop  
GxG




Inches	MM	Product Code	Crate Quantities	List Price
4	100	34CCOUP04GG		406.28
6	150	34CCOUP06GG		550.53
8	200	34CCOUP08GG		947.98
10	250	34CCOUP10GG		1742.60
12	300	34CCOUP12GG		2063.98

High Deflection  
Coupling




4	100	34CHDCOUP04GG		P.O.R
6	150	34CHDCOUP06GG		P.O.R
8	200	34CHDCOUP08GG		P.O.R
10	250	34CHDCOUP10GG		P.O.R
12	300	34CHDCOUP12GG		P.O.R

Plugs



4	100	44CPLUG04		132.48
6	150	44CPLUG06		214.91
8	200	44CPLUG08		335.62
10	250	44CPLUG10		433.27
12	300	44CPLUG12		678.47

Tapped Plug



4x1	100x25	44CPLUG0401IPS		471.04
4x1.5	100x40	44CPLUG041.5IPS		471.04
8x.75	200x20	44CPLUG08.75IPS		833.16
8x1	200x25	44CPLUG0801IPS		833.16
8x1.5	200x40	44CPLUG081.5IPS		833.16

PVC Bushings

4x6	100x150	49CIN0406GS		594.69
6x8	150x200	49CIN0608GS		959.75
8x10	200x250	49CIN0810GS		954.62
10x12	250x300	49CIN1012GS		1,192.68

Water Distribution Fittings (CIOD) (pressure rating 235 psi)

# PRO-LINE FITTINGS

---

## C900, C907 FITTINGS

### Terms and Conditions of Sale

#### 1. General

All sales are subject to Pro-Line's Fittings Inc. ("Vendor") general terms and conditions as posted on the Vendor's website at the time of sale. The Purchaser's order is accepted subject to the Vendor's terms and condition and any other terms and conditions agreed to in writing by the Vendor and Purchaser. It is agreed that any terms and conditions contained in the Purchaser's order or otherwise stipulated will be deemed for the Purchaser's internal use only and will not be binding on the Vendor.

#### 2. Orders:

Purchase orders received are conditional upon satisfactory credit approval by the Vendor. Once confirmed by the Vendor orders for custom-made products manufactured by the Purchaser's specifications and orders of large quantities for non-inventoried products cannot be cancelled, modified or returned without the Vendor's written consent and upon terms which provide for indemnification of the Vendor for costs and expenses incurred.

#### 3. Shipments

Delivery schedules stipulated in either the Vendor's "Sales Quote" or the "Sales Order Confirmation" are approximate only and shipments will be made within reasonable proximity thereto. All shipments are F.O.B Vendor's location unless otherwise agreed to in writing between the Vendor and Purchaser. The Vendor may agree to different shipping terms as specified in the Sales Quote or in the Sales Order Confirmation. Freight prepaid orders, when applicable will be delivered by the carrier of the Vendor's selection, unless the use of another carrier is agreed to in writing with the Purchaser. Prepaid orders will be delivered based on the most economical route as determined by the Vendor. If the Purchaser requires another means of delivery that offered by the Vendor, the Purchaser agrees to incur the additional cost. Each Sales Order Confirmation maybe shipped in whole or in part at the Vendor's discretion. The Vendor shall bear no liability for Products lost or damaged during transit. Under no circumstances will the Vendor be responsible for any damage whatsoever caused by delays in shipment. The Purchaser must verify quantities and report discrepancies within 3 business days of receipt. The Vendor reserves the right to optimize packaging at its discretion. Some products may only be available in bulk package multiples or case quantities.

#### 4. Prices

All prices published or quoted are subject to change without notice until orders are accepted by the Vendor and issuance of a Sales Confirmation, whereupon prices will remain firm for those shipments within thirty (30) days following the day of the Vendor's Sales Order Confirmation. For specific contracts or projects, the Vendor may agree to in writing to protect the prices for an extended period of time. To remove a charge for applicable taxes, the Purchaser must provide the Vendor with tax exemption certificates or any documents as required by a specific tax jurisdiction.

#### 5. Payment Terms

Payment is based on the delivery date of the products and is due by the fifteenth (15th) of the following month. If applicable, cash discounts, expressed and a percentage, are calculated on the net invoiced price, before taxes, freight, or other charges and can only be deducted from the payment if the Vendor received payment from the Purchaser on or prior to the due date, otherwise no cash discount is applicable. Overdue accounts shall bear interest at rate of 18% per annum. The granting of credit by the Vendor is based on an evaluation of the Purchaser's financial condition. If the financial condition does not justify continuance on credit, the Vendor may require full or partial advance payment.

#### 6. Return of Products:

The Vendor may accept the return of Products, subject to the following terms and conditions: 1) Prior to the return of any Products, the Purchaser must obtain a Return Goods Authorization (RGA) number from the Vendor, 2) All Products must be returned freight prepaid, unless otherwise authorized by the Vendor, 3) Products must be received in good salable condition. A minimum return or re-stocking charge of 25% of the purchase price will be applied against the credit issued pursuant to the returned Products, except in the case of the Vendor's shipping error.

## PRO-LINE FITTINGS

---

### C900, C907 FITTINGS

#### Terms and Conditions of Sale

##### 7. Warranty and Limitations of Liability

All the Vendor's Products are guaranteed against defects resulting from faulty workmanship or materials, subject to limitations, exceptions, disclaimers and conditions stipulated hereunder or specified with respect to particular Products and posted or amended on the Vendor's website of literature. The Vendor will replace free of charge, including shipping charges for the replacement of any Products which are found to be defective in workmanship or material provided that the following conditions are met.

- a. The Vendor is promptly notified in writing of such a defect immediately upon discovery and the defective Products is promptly returned to the Vendor. The Claimant must provide documentation of evidence of failure, as well as the failed product that has alleged to have failed and agree to in section of the defective Product by the Vendor.
- b. The Product has not been altered or modified after leaving the Vendor's premises, has not been used in more than one installation, show no evidence of tampering or disassembly, not subject to abnormal operating conditions, abuse or misuse.
- c. The Products have been used in applications or under conditions that are in not accordance with the technical information available from the Vendor.
- d. The Vendor disclaims any liability or responsibility for labour, materials and or other expenses to replace the defective Product or to repair and damage resulting from the use there of; for Purchaser's calculations, product design or engineering specifications; for the accuracy of any plans, drawing or specifications furnished to the purchaser as part of the sale of any of its products.





PRO-LINE FITTINGS

---

C900, C907 FITTINGS



*Contacts:*

***Western Canada***

12487-82nd Avenue,  
Surrey B.C. V3W 3E8

T: 604-531-8408 / 1- 877-531-8478  
F: 604-531-8468 / 1- 877-531-8468

[info@pro-linefittings.com](mailto:info@pro-linefittings.com)

***Eastern Canada***

740 Huronia Road, Unit #17  
Barrie, Ontario L4N 6C6

T: 705-733-7720 / 1-855-733-7720  
F: 705-733-7710 / 1-855-733-7710

[sales@pro-linefittings.com](mailto:sales@pro-linefittings.com)