



Waterworks Accessories

Price List: PLFE Vol.2 Effective Date: February 1, 2021



WESTERN CANADA

12487-82nd Avenue Surrey, BC V3W 3E8

T: 604-531-8408 / 1-877-531-8478 info@pro-linefittings.com

EASTERN CANADA

740 Huronia Road, Unit #17 Barrie, ON L4N 6C6

T: 705-733-7720 / 1-855-733-7720 sales@pro-linefittings.com





Some folks in the waterworks industry call it gum & candy. We look at Waterworks Accessories as part of our total value proposition, and we strive to provide only the best quality components at competitive price points.

Sourcing these items individually can be a costly endeavor especially when considering freight costs, and minimum order quantities. Pro-Line Fittings alleviates this burden by carrying a vast inventory of accessories from service box parts to petrolatum tape, tools, mechanical seals & chemicals.

We fabricate in-house where possible and work with industry leading manufactures to exceed your customers expectations on durability. Our waterworks accessories can be combined with gasketed sewer fittings, or any other product we carry to help you attain pre-paid shipments, reduce your inventory carrying costs, and make your business more profitable. Call us to find out more.

At Pro-Line we're committed to CUSTOMER SERVICE EXCELLENCE. This means quick quotes, the highest quality fittings, delivered as promised each and every time!



Certification Standards:

CSA B 181.0-06, CSA B 182.1-06, CSA B 182.2-06, CSA B182.4-06 ASTM D3034, ASTM D3212, ASTM F1336, ASTM F679, ASTM F794



TABLE OF CONTENTS

HARDWARE Standard Bolt Pack Stainless Steel Bolt Pack Cor-blue Bolt Pack Flange Packs – Plated Flange Packs – Stainless Steel	1-2 1 1 2 2
SERVICE BOX ACCESSORIES Stainless Steel Service Box Rods Extensions Telescopic Extensions Repair Couplings Lids Service Box Keys Keys – Pentagon Hand Keys	3-4 3 3 4 4 4 4
INNERLYNX MECHANICAL SEALS	5
TOOLS	6-7
Socket Wrench Set – 3 Pcs Deep Socket Set Wrench – Double Socket Wrench – Offset Socket Hydrant Wrench Hydrant Wrench Storz Adjustable PE Shut Off Tool 120" Outside Diameter Tape Valve & Curb Key Kit – With Carrying Case Main Valve Key Pro-Key Main Valve Key – Telescopic	6 6 6 6 6 7 7 7 7 7



Valve Box Curb Cleaner	7
Manhole Cover Hook	7
Soil Probe – Insulated	7
CATHODIC PROTECTION	8
Petrowrap Anticorrosion Tape – 10m Roll	8
Petrowrap Primer Paste	8
Petrowrap Mastic	8
Sacrificial Caps – Zinc	8
Hydrant Collar Anode – Zinc	8
Service Box Anode – Zinc	8
MISCELLANEOUS	9
HDPE Stainless Steel Inserts	9
Teflon Tape	9
Towels Tough Boy	9
CHEMICALS	10-11
Blue Lube	10
Pipe Thread Compound	10
Flow-aide	10
Lox-8 Hypo Paste	10
Formula-8 Grease	10
Tufoil	11
HinderRUST	11
Lubricating Pocket Oiler	11



HARDWARE – MJ BOLT PACKS

STANDARD BOLT PACK



Product Code	Description	List Price
MJBP04	4" / 100 mm	14.62
MJBP06	6" / 150 mm	20.77
MJBP08	8" / 200 mm	23.23
MJBP10	10" / 250 mm	30.17
MJBP12	12" / 300 mm	31.98
MJBP14	14" / 350 mm	POR
MJBP16	16" / 400 mm	53.50
MJBP18	18" / 450 mm	POR
MJBP20	20" / 500 mm	POR
MJBP24	24" / 600 mm	POR

STAINLESS STEEL BOLT PACK



COR-BLUE BOLT PACK



MJBP04SS	4" / 100 mm	44.34
MJBP06SS	6" / 150 mm	65.09
MJBP08SS	8" / 200 mm	66.98
MJBP10SS	10" / 250 mm	96.65
MJBP12SS	12" / 300 mm	96.82
MJBP14SS	14" / 350 mm	POR
MJBP16SS	16" / 400 mm	168.04
MJBP18SS	18" / 450 mm	POR
MJBP20SS	20" / 500 mm	POR
MJBP24SS	24" / 600 mm	POR

MJBP04CB	4" / 100 mm	34.19
MJBP06CB	6" / 150 mm	49.62
MJBP08CB	8" / 200 mm	52.83
MJBP10CB	10" / 250 mm	72.30
MJBP12CB	12" / 300 mm	74.57
MJBP14CB	14" / 350 mm	POR
MJBP16CB	16" / 400 mm	POR
MJBP18CB	18" / 450 mm	POR
MJBP20CB	20" / 500 mm	POR
MJBP24CB	24" / 600 mm	POR



HARDWARE – FLANGE PACKS

FLANGE PACK PLATED



Product Code	Description	List Price
FLP4ZP	4" / 100 mm	21.42
FLP6ZP	6" / 150 mm	28.57
FLP8ZP	8" / 200 mm	31.28
FLP10ZP	10" / 250 mm	60.38
FLP12ZP	12" / 300 mm	65.85
FLP14ZP	14" / 350 mm	POR
FLP16ZP	16" / 400 mm	POR
FLP18ZP	18" / 450 mm	POR
FLP20ZP	20" / 500 mm	POR
FLP24ZP	24" / 600 mm	POR

FLANGE PACK STAINLESS STEEL



FLP4SS	4" / 100 mm	27.58
FLP6SS	6" / 150 mm	47.00
FLP8SS	8" / 200 mm	50.50
FLP10SS	10" / 250 mm	105.10
FLP12SS	12" / 300 mm	109.00
FLP14SS	14" / 350 mm	POR
FLP16SS	16" / 400 mm	POR
FLP18SS	18" / 450 mm	POR
FLP20SS	20" / 500 mm	POR
FLP24SS	24" / 600 mm	POR





SERVICE BOX ACCESSORIES

STAINLESS STEEL SERVICE BOX RODS

Common Parison
and the second

Product Code	Description	List Price
SBRSS-18	18" / 450 mm	14.15
SBRSS-24	24" / 600 mm	14.62
SBRSS-36	36" / 900 mm	16.50
SBRSS-42	42" / 1050 mm	16.98
SBRSS-45	45" / 1125 mm	18.87
SBRSS-48	48" / 1200 mm	19.34
SBRSS-60	60" / 1500 mm	30.19
SBRSS-72	72" / 1800 mm	POR

EXTENSIONS



SBE6	6" / 150 mm	8.89
SBE12	12" / 300 mm	11.39
SBE18	18" / 450 mm	14.53
SBE24	24" / 600 mm	15.79
SBE30	30" / 750 mm	23.38
SBE36	36" / 900 mm	26.92

TELESCOPIC EXTENSIONS



TSBE6	6" / 150 mm	11.41
TSBE12	12" / 300 mm	13.19
TSBE18	18" / 450 mm	17.02
TSBE24	24" / 600 mm	19.52
TSBE30	30" / 750 mm	24.90
TSBE36	36" / 900 mm	32.08

SERVICE BOX ACCESSORIES

REPAIR COUPLINGS



Product Code	Description	List Price
RCO2	2"L / 50 mm	10.74
RCO4	4"L / 100 mm	9.00
RC06	6"L / 150 mm	13.12

LIDS

	-		1000
		-	1
100	2	-	-
1	Married Col	-	1994 A
	1		

SBLT	Threaded	12.47
SBL	Set Screw	12.50

FROST RING	
WASHERS	

	ALC: NO
i	1
1	
2	
1	and a

FRWTH	1" / 25 mm	12.99	
-------	------------	-------	--

SERVICE	BOX	KEYS	



SBK48	48" / 1200 mm	86.96
SBK60	60" / 1500 mm	95.50
SBK72	72" / 1800 mm	103.78

KEYS – PENTAGON HAND KEYS



367-4298	TYPE HK-0	16.20
367-4331	TYPE HK-1	24.91
367-4332	TYPE HK-2	39.14
367-4333	TYPE HK-3	49.81
307-4333	TIFE HK-3	49.01



INNERLYNX MECHANICAL SEALS

11	6	6	0
	-		X
1			



Product Code	C-Standard Insulating ZP H/W List Price	SS-316 Standard Insulating SS H/W List Price
IL-200	7.98	9.67
IL-265	17.87	16.92
IL-275	10.41	13.29
IL-300	11.28	16.61
IL-310	22.21	23.41
IL-315	19.95	26.28
IL-325	22.21	36.10
IL-340	29.67	39.57
IL-360	37.13	43.80
IL-400	35.74	43.65
IL-410	37.13	43.80
IL-425	35.74	43.65
IL-440	86.58	105.28
IL-475	35.74	43.65
IL-500	62.29	88.06
IL-525	62.29	88.06
IL-575	62.29	88.06
IL-600	263.56	397.70
IL-625	235.45	233.21
IL-650	242.57	379.73
IL-675	419.38	393.47

Consult Innerlynx's sizing chart <u>here</u> or contact Pro-Line Fittings for assistance with Innerlynx sizing for each application.



TOOLS

SOCKET WRENCH SET	Product Code	Description	List Price
	364-9986		426.95
DEEP SOCKET SET	910	15/16", 1-1/16", 1-1/8", 1-1/4"	491.07
WRENCH - DOUBLE SOCKET	364-9982	1-1/4 x 1-1/16" Blue Grip	186.80
	364-9983	7/8 x 3/4" Yellow Grip	186.80
TRANSIT	364-9985	1-1/8 x 15/16" Green Grip	186.80
•			
WRENCH - OFFSET SOCKET	364-9984	1-1/4 x 1-1/16"	384.00
133			
HYDRANT WRENCH	377-5960	Adjustable	65.30
HYDRANT WRENCH	377-5970	Adjustable/Storz Adjustable	157.00
STORZ ADJUSTABLE			
PE SHUT OFF TOOL	368-9040	For PE Service Tube	176.00
120" OUTSIDE DIAMETER TAPE	217-6653	LIN.IN. X DIA. IN.	POR
	217-6656	LIN.METRIC X DIA.METRIC	POR
Concentration of the second se	217-6659	DIA. IN. X DIA.METRIC	POR



TOOLS

ALVE & CURB KEY KIT WITH CARRYING CASE	Product Code	Description	List Price
1	367-9100	KIT	333.35
	367-9110	42" EXTENSION	75.28
	367-9101	CURB KEY ADAPTOR	60.23
MAIN VALVE KEY	367-5020	72" / 1800 mm	119.81
I.	367-5023	96" / 2400 mm	153.77
	Other sizes available u	upon request	
PRO-KEY	PK10	Adjustable 60"-120" w/ detachable handle	443.21
• MAIN VALVE KEY - TELESCOPIC	367-5129	72 – 120" / 1800-3000 mm	223.61
AIN VALVE KEY - LIGHTED	367-5120	72" / 1800 mm	423.40
	001 0120	12 / 1000 mm	420.40
ALVE BOX CURB CLEANER	367-9150	60" / 1500 mm	659.00
1	367-9151	72" / 1800 mm	698.00
ř	367-9152	84" / 2100 mm	728.00
IANHOLE COVER HOOK	367-4286	24" INLINE / 600 mm	77.50
8	367-4290	36" INLINE / 900 mm	100.50
	367-4288	36" X 90° / 750 mm	118.00
	367-4289	36" X 90° / 900 mm	118.00
OIL PROBE - INSULATED	367-9080	48" / 1200 mm	190.94
1	367-9090	60" / 1500 mm	207.55



CATHODIC PROTECTION

PETROWRAP ANTICORROSION TAPE - 10M ROLL	Product Code	Description	List Price
	PW50LTAC	2" / 50 mm	19.70
	PW100LTAC	4" / 100 mm	29.50
	PW150LTAC	6" / 150 mm	38.50

PW9190PM

PETROWRAP PRIMER PASTE



PWPR2	2 kg	60.68
PWPR4	4 kg	101.50

4 lb

80.20

40.75

PETROWRAP MASTIC



SACRIFICIAL CAPS - ZINC



ZINCAP5/8	6 oz. 5/8"	POR
ZINCAP3/4	6 oz. 3/4"	POR
ZINCAP7/8	6 oz. 7/8"	POR
ZINCAP1	6 oz 1"	POR

1" / 25 mm

HYDRANT COLLAR ANODE - ZINC



SERVICE BOX ANODE - ZINC	SBC1	1-1/4" / 31.25 mm	35.00
--------------------------	------	-------------------	-------

HCA1





MISCELLANEOUS

HDPE STAINLESS STEEL INSERTS



Product Code	Description	List Price
STF-00750	3/4"	3.77
STF-01000	1"	4.42
STF-01250	1 1/4"	5.24
STF-01500	1 1/2"	5.73
STF-02000	2"	5.89
STF-04000-06-DR11	4" DR 11-6	126.74
STF-06000-06-DR11	6" DR 11-6	136.48
STF-08000-06-DR11	8" DR 11	148.74
STF-10000-06-DR11	10" DR 11	160.96
STF-12000-06-DR11	12" DR 11	175.46
STF-04000-06-DR17	4" DR 17	126.74
STF-06000-06-DR17	6" DR 17	136.48
STF-08000-06-DR17	8" DR 17	148.74
STF-10000-06-DR17	10" DR 17	160.96
STF-12000-06-DR17	12" DR 17	175.46

Additional sizes available - contact Pro-Line Fittings

TEFLON TAPE

TOWELS

TOUGH BOY



	TBT	1 Pkg	58.00	
--	-----	-------	-------	--





CHEMICALS

BLUE LUBE



Product Code	Description	List Price
BL-GLP4	4 oz Gasket lube	5.30
BL-GLP16	16 oz Gasket lube	12.09
BL-GLP32	32 oz Gasket lube	18.17
BL-GLP1	1 gal. Gasket lube	62.46

PIPE THREAD COMPOUND





AS10CU8	10 oz Copper Talon	43.90
1G8C	8 oz Blue Magic	29.07

FLOW-AIDE



FLOW32	32 oz Descaler	40.37
		40.07

LOX-8 HYPO PASTE



PLF9700017	25g Jar	11.85
PLF9712151	100g Jar	245.73

FORMULA-8 GREASE



PLF8900003	15g Tube	10.14
PLF8900006	100g Tube	55.74



CHEMICALS

TUFOIL



Product Code	Description	Price
PLF8442845	8 fl. oz. Bottle	36.22

HinderRUST



PLF9343378	R2.0 - 327g Aerosol Can	29.78
PLF9443375	S4.0 - 327g Aerosol Can	27.72
PLF9543355	HV100 - 327g Aerosol Can	29.01

PLF9644382	12 ml	15.82
------------	-------	-------



LUBRICATING POCKET OILER

Terms and Conditions of Sale



1. General

All sales are subject to Pro-Line's Fittings Inc. and Pro-Line Fittings East Inc. ("Vendor") general terms and conditions as posted on the Vendor's website at the time of sale. The Purchaser's order is accepted subject to the Vendor's terms and condition and any other terms and conditions agreed to in writing by the Vendor and Purchaser. It is agreed that any terms and conditions contained in the Purchaser's order or otherwise stipulated will be deemed for the Purchaser's internal use only and will not be binding on the Vendor.

2. Orders

Purchase orders received are conditional upon satisfactory credit approval by the Vendor. Once confirmed by the Vendor orders for custom-made products manufactured by the Purchaser's specifications and orders of large quantities for non-inventoried products cannot be canceled, modified or returned without the Vendor's written consent and upon terms which provide for indemnification of the Vendor for costs and expenses incurred.

3. Shipments

Delivery schedules stipulated in either the Vendor's "Sales Quote" or the "Sales Order Confirmation" are approximate only and shipments will be made within reasonable proximity thereto. All shipments are F.O.B Vendor's location unless otherwise agreed to in writing between the Vendor and Purchaser. The Vendor may agree to different shipping terms as specified in the Sales Quote or in the Sales Order Confirmation. Freight prepaid orders, when applicable will be delivered by the carrier of the Vendor's selection, unless the use of another carrier is agreed to in writing with the Purchaser.

Prepaid orders will be delivered based on the most economical route as determined by the Vendor. If the Purchaser requests partial shipment of a Prepaid Order, the Vendor will only Prepay the initial shipment, all further partial shipments on that order are shipped at the Purchaser's expense. If the Purchaser requires another means of delivery that offered by the Vendor, the Purchaser agrees to incur the additional cost. Each Sales Order maybe shipped in whole or in part at the Vendor's discretion. The Vendor shall bear no liability for Products lost or damaged during transit. Under no circumstances will the Vendor be responsible for any damage whatsoever caused by delays in shipment. The Purchaser must verify quantities and report discrepancies within 3 business days of receipt. The Vendor reserves the right to optimize packaging at its discretion. Some products may only be available in bulk package multiples or case quantities. The Vendor's Delivery Schedules stated on the "Sales Quote" or "Sales Order Confirmation" are only reasonable approximate of the shipping date to the Purchaser.

4. Prices

All prices published or quoted are subject to change without notice until orders are accepted by the Vendor and issuance of a Sales Confirmation, whereupon prices will remain firm for those shipments within thirty (30) days following the day of the Vendor's Sales Order Confirmation. For specific contracts or projects, the Vendor may agree to in writing to protect the prices for an extended period of time. To remove a charge for applicable taxes, the Purchaser must provide the Vendor with tax exemption certificates or any documents as required by a specific tax jurisdiction.

5. Payment Terms

Payment is based on the delivery date of the products and is due by the fifteenth (15th) of the following month. If applicable, cash discounts, expressed and a percentage, are calculated on the net invoiced price, before taxes, freight, or other charges and can only be deducted from the payment if the Vendor received payment from the Purchaser on or prior to the due date, otherwise no cash discount is applicable. Overdue accounts shall bear interest at rate of 18% per annum. The granting of credit by the Vendor is based on an evaluation of the Purchaser's financial condition. If the financial condition does not justify continuance on credit, the Vendor may require full or partial advance payment.

6. Return of Products

The Vendor may accept the return of Products, subject to the following terms and conditions: 1) Prior to the return of any Products, the Purchaser must obtain a Return Goods Authorization (RGA) number from the Vendor, 2) All Products must be returned freight prepaid, unless otherwise authorized by the Vendor, 3) Products must be received in good saleable condition. A minimum return or re-stocking charge of 25% of the purchase price will be applied against the credit issued pursuant to the returned Products, except in the case of the Vendor's shipping error.

7. Warranty and Limitations of Liability

All the Vendor's Products are guaranteed against defects resulting from faulty workmanship or materials, subject to limitations, exceptions, disclaimers and conditions stipulated hereunder or specified with respect to particular Products and posted or amended on the Vendor's website of literature. The Vendor will replace free of charge, including shipping charges for the replacement of any Products which are found to be defective in workmanship or material provided that the following conditions are met.

- **a.** The Vendor is promptly notified in writing of such a defect immediately upon discovery and the defective Products is promptly returned to the Vendor. The Claimant must provide documentation of evidence of failure, as well as the failed product that has alleged to have failed and agree to in section of the defective Product by the Vendor.
- **b.** The Product has not been altered or modified after leaving the Vendor's premises, has not been used in more than one installation, show no evidence of tampering or disassembly, not subject to abnormal operating conditions, abuse or misuse.
- **c.** The Products have been used in applications or under conditions that are in not accordance with the technical information available from the Vendor.
- **d.** The Vendor disclaims any liability or responsibility for labour, materials and or other expenses to replace the defective Product or to repair and damage resulting from the use there of; for Purchaser's calculations, product design or engineering specifications; for the accuracy of any plans, drawing or specifications furnished to the purchaser as part of the sale of any of its products.

8. Force Majeure Clause

Force majeure clause "is meant to protect the Vendor and the Purchaser in the event that a contract cannot be performed due to causes which are outside the control of the parties and could not be avoided by exercise of due care." Force majeure clauses allocate risk between the parties when an unanticipated event makes performance impossible or impracticable. If and to the extent that a Vendor's performance of any of its obligations pursuant to a "Quote", "Sales Order" or Sales Order Confirmation" is prevented, hindered or delayed directly or indirectly by fire, flood, earthquake, elements of nature or acts of God, acts of war, terrorism, riots, civil disorders, rebellions or revolutions, or any other similar cause beyond the reasonable control of the Vendor (each a "Force Majeure Event"), and such non-performance, hindrance or delay could not have been prevented by reasonable precautions, then the non-performing, hindered or delayed by the Vendor, shall be excused for such non-performance, hindrance or delay, as applicable, of those obligations affected (the "Affected Services or Products") by the Force Majeure Event for as long as the Force Majeure Event continues and, except as otherwise provided in this Section, such Vendor continues to use its commercially reasonable efforts to recommence performance whenever and to whatever extent possible without delay, including through the use of alternate sources, workaround plans or other means. The Vendor, whose performance is prevented, hindered or delayed by a Force Majeure Event shall promptly notify the other Party of the occurrence of the Force Majeure Event and describe in reasonable detail the nature of the Force Majeure Event.

Pro-Line Fittings Inc. | Terms and Conditions | September 2021



CONTACT US:

WESTERN CANADA

12487 – 82nd Avenue Surrey, B.C. V3W 3E8 T: 604-531-8408 / 877-531-8478 F: 604-531-8468 / 877-531-8468 info@pro-linefittings.com

EASTERN CANADA

740 Huronia Road, Unit #17 Barrie, ON L4N 6C6 T: 705-733-7720 / 855-733-7720 F: 705-733-7710 / 855-733-7710 sales@pro-linefittings.com



Consult Our Infrastructure & Industrial Solutions Brochure



pro-linefittings.com